



Certificate number: 2210710 (1)

Issued 06/10/2022

Expires 06/10/2027

Kiwa Regulation 4 (KUKreg4) Certification

Evaluation Guideline – Kiwa UK – EG004 – Regulation 4(1)(a)

Model number(s) – see Appendix

GM Treble Ltd.

Kiwa Watertec declares that legitimate confidence exists in the products specified in this certificate and supplied by the above organisation be relied upon to comply with the Kiwa Evaluation Guideline referred above.

Which verifies the requirements of:

Regulation 4(1)a of the Water Supply (Water Fittings) Regulations 1999 England & Wales: 2009 Northern Ireland and 2014 Byelaws Scotland.

This certificate has been issued in accordance with the Kiwa regulations for product certification.

Signed on behalf of Kiwa Watertec

David Jay, Business Unit Manager – Authorised Signatory
Kiwa Watertec

Publication of this certificate is allowed.

Products are intended to be used in the UK only. For other countries, other (National) requirements will apply.

See <https://www.kiwa.com/gb/en/about-kiwa/water-products/> to ensure that the certificate is still valid.

CERTIFICATE

Kiwa Watertec
(A Trading Division of Kiwa Ltd)
26A Rassau Industrial Estate
Ebbw Vale
Gwent
NP23 5SD
United Kingdom
T +44 (0)1495 308185
uk.water@kiwa.com
www.kiwa.co.uk

Certificate Issued to:
GM Treble Ltd
New Street
Parkfields
Wolverhampton
WV4 6AN
United Kingdom



Product Certificate

Appendix to Certificate number: 2210710

The following products belong to this certificate

PRODUCT DESCRIPTION		
Range of cold water supply booster sets with stainless steel manifold, single check valve and expansion vessel.		
ATS3 – Without Production Surveillance.		
MODEL(S)		
Model	No of pumps	Inlet size
5221-3HM04S-INV/1	2	1-1/4" M BSP
5221-3HM05S-INV/1	2	1-1/4" M BSP
5221-3HM06S-INV/1	2	1-1/4" M BSP
5221-3HM07S-INV/1	2	1-1/4" M BSP
5221-3HM08S-INV/1	2	1-1/4" M BSP
5221-3HM09S-INV/1	2	1-1/4" M BSP
5221-5HM04S-INV/1	2	1-1/2" M BSP
5221-5HM05S-INV/1	2	1-1/2" M BSP
5221-5HM06S-INV/1	2	1-1/2" M BSP
5221-5HM07S-INV/1	2	1-1/2" M BSP
5221-5HM08S-INV/1	2	1-1/2" M BSP
5221-5HM09S-INV/1	2	1-1/2" M BSP
5221-10HM02S-INV/1	2	2" M BSP
5221-10HM03S-INV/1	2	2" M BSP
5221-10HM04S-INV/1	2	2" M BSP
5221-10HM05S-INV/1	2	2" M BSP
5221-10HM06S-INV/1	2	2" M BSP
5221-10HM07S-INV/1	2	2" M BSP
5221-15HM02S-INV/1	2	2-1/2" M BSP
5221-15HM03S-INV/1	2	2-1/2" M BSP
5221-22HM02S-INV/1	2	2-1/2" M BSP
5221-3HM04S-INV/3	2	1-1/4" M BSP
5221-3HM05S-INV/3	2	1-1/4" M BSP
5221-3HM06S-INV/3	2	1-1/4" M BSP
5221-3HM07S-INV/3	2	1-1/4" M BSP
5221-3HM08S-INV/3	2	1-1/4" M BSP
5221-3HM09S-INV/3	2	1-1/4" M BSP
5221-5HM04S-INV/3	2	1-1/2" M BSP
5221-5HM05S-INV/3	2	1-1/2" M BSP
5221-5HM06S-INV/3	2	1-1/2" M BSP
5221-5HM07S-INV/3	2	1-1/2" M BSP
5221-5HM08S-INV/3	2	1-1/2" M BSP
5221-5HM09S-INV/3	2	1-1/2" M BSP
5221-10HM02S-INV/3	2	2" M BSP
5221-10HM03S-INV/3	2	2" M BSP
5221-10HM04S-INV/3	2	2" M BSP
5221-10HM05S-INV/3	2	2" M BSP
5221-10HM06S-INV/3	2	2" M BSP
5221-10HM07S-INV/3	2	2" M BSP
5221-15HM02S-INV/3	2	2-1/2" M BSP
5221-15HM03S-INV/3	2	2-1/2" M BSP
5221-15HM04S-INV/3	2	2-1/2" M BSP
5221-15HM05S-INV/3	2	2-1/2" M BSP
5221-22HM02S-INV/3	2	2-1/2" M BSP
5221-22HM03S-INV/3	2	2-1/2" M BSP
5221-22HM04S-INV/3	2	2-1/2" M BSP

Product Certificate

Appendix to Certificate number: 2210710

5222-3HM04S-INV/1	3	1-1/4" M BSP
5222-3HM05S-INV/1	3	1-1/4" M BSP
5222-3HM06S-INV/1	3	1-1/4" M BSP
5222-3HM07S-INV/1	3	1-1/4" M BSP
5222-3HM08S-INV/1	3	1-1/4" M BSP
5222-3HM09S-INV/1	3	1-1/4" M BSP
5222-5HM04S-INV/1	3	1-1/2" M BSP
5222-5HM05S-INV/1	3	1-1/2" M BSP
5222-5HM06S-INV/1	3	1-1/2" M BSP
5222-5HM07S-INV/1	3	1-1/2" M BSP
5222-5HM08S-INV/1	3	1-1/2" M BSP
5222-5HM09S-INV/1	3	1-1/2" M BSP
5222-10HM02S-INV/1	3	2" M BSP
5222-10HM03S-INV/1	3	2" M BSP
5222-10HM04S-INV/1	3	2" M BSP
5222-10HM05S-INV/1	3	2" M BSP
5222-10HM06S-INV/1	3	2" M BSP
5222-10HM07S-INV/1	3	2" M BSP
5222-15HM02S-INV/1	3	2-1/2" M BSP
5222-15HM03S-INV/1	3	2-1/2" M BSP
5222-22HM02S-INV/1	3	2-1/2" M BSP
5222-3HM04S-INV/3	3	1-1/4" M BSP
5222-3HM05S-INV/3	3	1-1/4" M BSP
5222-3HM06S-INV/3	3	1-1/4" M BSP
5222-3HM07S-INV/3	3	1-1/4" M BSP
5222-3HM08S-INV/3	3	1-1/4" M BSP
5222-3HM09S-INV/3	3	1-1/4" M BSP
5222-5HM04S-INV/3	3	1-1/2" M BSP
5222-5HM05S-INV/3	3	1-1/2" M BSP
5222-5HM06S-INV/3	3	1-1/2" M BSP
5222-5HM07S-INV/3	3	1-1/2" M BSP
5222-5HM08S-INV/3	3	1-1/2" M BSP
5222-5HM09S-INV/3	3	1-1/2" M BSP
5222-10HM02S-INV/3	3	2" M BSP
5222-10HM03S-INV/3	3	2" M BSP
5222-10HM04S-INV/3	3	2" M BSP
5222-10HM05S-INV/3	3	2" M BSP
5222-10HM06S-INV/3	3	2" M BSP
5222-10HM07S-INV/3	3	2" M BSP
5222-15HM02S-INV/3	3	2-1/2" M BSP
5222-15HM03S-INV/3	3	2-1/2" M BSP
5222-15HM04S-INV/3	3	2-1/2" M BSP
5222-15HM05S-INV/3	3	2-1/2" M BSP
5222-22HM02S-INV/3	3	2-1/2" M BSP
5222-22HM03S-INV/3	3	2-1/2" M BSP
5222-22HM04S-INV/3	3	2-1/2" M BSP
SIZE:		
See model.		
SCOPE:		
Manufacturer recommended maximum working pressure 10 Bar & maximum operating temperature: Cold Water Use Only.		
Hygienic Purposes: Non-metallic materials suitable for continuous use with cold water only.		
MARKING		
GM Treble Ltd, model No, pressure and other technical information on adhesive label.		
MATERIALS		
Non-metallic materials assessed (BS6920) to point of discharge.		



Product Certificate

Appendix to Certificate number: 2210710

BACKFLOW PROTECTION NOTES N/A.
ADDITIONAL NOTES All water contact & exposed components satisfy opacity requirements.

Extra Notes